

IN THE CLAIMS

Claims 1-37 (canceled)

Claim 38. (currently amended) A method for  
administrating distribution of contents, comprising the steps  
of:

receiving a content from a content provider;  
encrypting the content with a content key;  
adding a content ID to the encrypted content;  
transmitting the encrypted content having the content ID  
added thereto to a content server;  
generating a use condition including the content ID  
specifying the content which a user apparatus is authorized to  
use in accordance with the use condition and a user ID  
specifying the user apparatus that is authorized to use the  
content in accordance with the use condition; and  
transmitting the encrypted content stored in the content  
server, the content key and the use condition through a user  
terminal to a player in response to a request from a user.

Claim 39. (previously presented) The method according to  
claim 38, further comprising the step of generating the content  
key.

Claim 40. (previously presented) The method according to claim 38, further comprising the step of compressing the content.

Claim 41. (previously presented) The method according to claim 38, further comprising the step of encrypting the content key so that an unauthorized apparatus is unable to decrypt.

Claim 42. (previously presented) The method according to claim 38, further comprising the steps of:

executing a process to share a session key with the user;  
and

encrypting the use condition with the session key.

Claim 43. (currently amended) An apparatus for administering distribution of contents, comprising:

receiving means for receiving a content from a content provider;

encrypting means for encrypting the content with a content key;

adding means for adding a content ID to the encrypted content;

transmitting means for transmitting the encrypted content having the content ID added thereto to a content server;

generating means for generating a use condition including the content ID specifying the content which a user's apparatus is authorized to use in accordance with the use condition and a user ID specifying the user apparatus that is authorized to use the content in accordance with the use condition;

wherein the transmitting means transmits the encrypted content stored in the content server, the content key and the use condition through a user terminal to a player in response to a request from the user.

Claim 44. (previously presented) The apparatus according to claim 43, further comprising generating means for generating the content key.

Claim 45. (previously presented) The apparatus according to claim 43, further comprising compressing means for compressing the content.

Claim 46. (previously presented) The apparatus according to claim 43, wherein the encrypting means encrypts the content key so that an unauthorized apparatus is unable to decrypt.

Claim 47. (previously presented) The apparatus according to claim 43, further comprising executing means for executing a process to share a session key with the user, and wherein the

encrypting means encrypts the use condition with the session key.